

Submersible pump

SDWP 7518

Combi version with plastic housing



Article number ▼

7520201

Brand ▼

Cleancraft

Availability ▼

In stock

Immediate delivery

Catalog directory ▼

Cleaning technology » Water pumps »

Submersible pump

Purchase ▼


Minimum 1 pc(s).



Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	210 mm	Gross	5.65 kg	Delivery	Delivery service	DualUse	✗
Width	175 mm	Net	5.4 kg	Content	1 pc(s).	SCIP	n/a
Height	365 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4036351346821	84138100	pc(s).

Description ▼

- Combination pump suitable for dirty and clear water thanks to adjustable feet
- Ergonomic handle design
- High-quality seals guarantee a long service life
- Automatic operation thanks to adjustable float switch
- Transports liquids with particles up to 30 mm in size
- With integrated thermal protection switch

Media informations ▼



Technical data ✓

Dimensions and weights			
Length (product) approx.	175 mm	Width/depth (product) approx.	168 mm
Height (product) approx.	355 mm	Net weight approx.	5.4 kg
Drive			
Motor output	0.75 kW	Protection class drive motor	IPX 8
Connection cable length	10 m		
Electrical Data			
Supply voltage	230 V	Mains frequency	50 Hz
Pump			
Type	Waste water	Max. lift	9 m
Discharge capacity	300 l/min	Max. grain size	35 mm
Remaining water level	40 mm		

Accessories ✓




Multi adapter 1¼" with angle connection and check valve

Article number ✓
7530001

Availability ✓
In stock
Immediate delivery

Purchase ✓
Minimum 1 pc(s).

Price informations ✓



Drain hose 25 mm x 7 m

Article number ✓
7530005

Availability ✓
In stock
Immediate delivery

Purchase ✓
Minimum 1 pc(s).

Price informations ✓



Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.